



WCAG 2.1 Level AA Success Criteria

COMPLIANCE AUDIT

For medspabybeautybar.com | Verdict: **Compliant**

accessiBe is the web accessibility **market leader**, powering the accessibility of **tens-of-thousands** of websites, from **small businesses** to industry-leading **enterprises**.

This audit evaluates the adherence level of **medspabybeautybar.com** as of Fri Oct 27 2023, to the "Web Content Accessibility Guidelines" (WCAG) 2.1 level AA success criteria.

Below you'll find the results for dozens of tests that focus mainly on 3 categories: **screen-reader** adjustments (for blind users), **keyboard navigation** adjustments (for the motor impaired) and **UI, design, and readability** adjustments (for the vision impaired).

#	Requirement	Relevant	Successes	Failures	Score
1	Elements that behave as buttons but are built using other tags such as span, div, a or others, should include a "role" attribute that equals to "button".	Yes	9	0	100%

Successful Elements

```
<a class="elementor-button elementor-button-link elementor-size-sm " href="#" tabindex="-1" role="button"> <span class="elementor-button-content-wrapper"> <span class="elementor-button-text " style=";background-color:#ffffff!important;...
```

```
<button type="submit" class="elementor-button elementor-size-xl " style=";background-color:#ffffff!important;color:#000000!important;" role="button"> <span> <span class=" elementor-button-icon" aria-hidden="true" data-acsb-f...
```

```
<a aria-label="" data-dce-background-color="#FFFFFF" class="elementor-element elementor-element-139e8cd e-con-full toTop z-second ratio-one-to-one e-flex default section-default-pad e-con e-parent " data-id="139e8cd" data-element_type="container" da...
```

```
<a href="#" id="cn-accept-cookie" data-cookie-set="accept" class="cn-set-cookie cn-button " aria-label="Accept" style="undefined;background-color:#00a99d;background-color:#ffffff!important" data-acsb-original-style="background-color: #00a99d" ac...
```

```
<a href="#" id="cn-refuse-cookie" data-cookie-set="refuse" class="cn-set-cookie cn-button " aria-label="No Thank You" style="undefined;background-color: #00a99d;background-color:#ffffff!important" data-acsb-original-style="background-color: #00a9...
```

```
<span id="cn-close-notice" data-cookie-set="accept" class="cn-close-icon " tabindex="0" style=";background-color:#ffffff!important;color:#000000!important;" role="button" ><span data-="true" " aria-hidden="false" > No Thank You Close </span></sp...
```

2	Buttons should include text explaining their functionality, and if icons are used as buttons, a screen-reader only text or an	Yes	9	0	100%
---	---	-----	---	---	------

Successful Elements

```
<a class="elementor-button elementor-button-link elementor-size-sm " href="#" tabindex="-1" role="button"> <span class="elementor-button-content-wrapper"> <span class="elementor-button-text " style=";background-color:#ffffff!important;...
```

```
<button type="submit" class="elementor-button elementor-size-xl " style=";background-color:#ffffff!important;color:#000000!important;" role="button"> <span> <span class=" elementor-button-icon" aria-hidden="true" data-acsb-f...
```

```
<a aria-label="" data-dce-background-color="#FFFFFF" class="elementor-element elementor-element-139e8cd e-con-full toTop z-second ratio-one-to-one e-flex default section-default-pad e-con e-parent " data-id="139e8cd" data-element_type="container" da...
```

```
<a href="#" id="cn-accept-cookie" data-cookie-set="accept" class="cn-set-cookie cn-button " aria-label="Accept" style="undefined;background-color:#00a99d;background-color:#ffffff!important" data-acsb-original-style="background-color: #00a99d" ac...
```

```
<a href="#" id="cn-refuse-cookie" data-cookie-set="refuse" class="cn-set-cookie cn-button " aria-label="No Thank You" style="undefined;background-color: #00a99d;background-color:#ffffff!important" data-acsb-original-style="background-color: #00a9...
```

```
<span id="cn-close-notice" data-cookie-set="accept" class="cn-close-icon " tabindex="0" style=";background-color:#ffffff!important;color:#000000!important;" role="button" ><span data-="true" " aria-hidden="false" > No Thank You Close </span></sp...
```

-
- 3 [Links should include text that is setting expectations to what page they are leading to. If empty links are used as layout wrapping elements, a screen-reader only text or an "aria-label" attribute should be used for that description.](#)

Yes

18

0

100%

Successful Elements

```
<a href="https://medspabybeautybar.com" data-acsb-force-unnavigable="true" tabindex="-1" > <span data-="true" " aria-hidden="false" > Home </span>  <span class="elementor-button-content-wrapper"> <span class="elementor-button-text" style=...
```

```
<a href="https://medspabybeautybar.com/service/aesthetics/" style=";background-color:#ffffff!important;color:#000000!important;">Aesthetics</a>
```

```
<a class="elementor-button elementor-button-link elementor-size-sm" href="https://medspabybeautybar.com/service/aesthetics/" data-acsb-scrape-url="https://medspabybeautybar.com/service/aesthetics/"> <span class="elementor-button-content-wrap...
```

```
<a href="https://medspabybeautybar.com/service/spa-services/" style=";background-color:#ffffff!important;color:#000000!important;">Spa Services</a>
```

```
<a class="elementor-button elementor-button-link elementor-size-sm" href="https://medspabybeautybar.com/service/spa-services/" data-acsb-scrape-url="https://medspabybeautybar.com/service/spa-services/"> <span class="elementor-button-content-...
```

```
<a href="https://medspabybeautybar.com/service/wellness/" style=";background-color:#ffffff!important;color:#000000!important;">Wellness</a>
```

```
<a class="elementor-button elementor-button-link elementor-size-sm" href="https://medspabybeautybar.com/service/wellness/" data-acsb-scrape-url="https://medspabybeautybar.com/service/wellness/"> <span class="elementor-button-content-wrapper"...
```

```
<a href="https://medspabybeautybar.com/book-now/" > <picture decoding="async" class="elementor-animation-shrink attachment-large size-large wp-image-3998"> <source type="image/webp" data-lazy-srcset="https://medspabybeautybar.com/wp-content/...
```

```
<a href="https://medspabybeautybar.com/services/" > <picture decoding="as  
ync" class="elementor-animation-shrink attachment-large size-large wp-ima  
ge-3999"> <source type="image/webp" data-lazy-srcset="https://medspabybea  
utybar.com/wp-content/...
```

- 4 [Links that open in a new tab or a new window should either have an "aria-label" attribute or a screen-reader only element explaining to screen-readers that this opens in a new tab.](#)

Yes

5

0

100%

Successful Elements

```
<a href="https://maps.app.goo.gl/htEoh8SZ37DyvXqY7" target="_blank" data-  
acsb-tooltip="New Window" data-acsb-hover="true" style=";background-colo  
r:#ffffff!important;color:#000000!important;"><span data-="true" " aria-h  
idden="false" > New Window ...
```

```
<a href="https://maps.app.goo.gl/3tojVrQ4m289ooet7" target="_blank" data-  
acsb-tooltip="New Window" data-acsb-hover="true" style=";background-colo  
r:#ffffff!important;color:#000000!important;"><span data-="true" " aria-h  
idden="false" > New Window ...
```

```
<a href="https://maps.app.goo.gl/jovKTPbpGbf9iyqz7" target="_blank" data-  
acsb-tooltip="New Window" data-acsb-hover="true" style=";background-colo  
r:#ffffff!important;color:#000000!important;"><span data-="true" " aria-h  
idden="false" > New Window ...
```

```
<a class="npc" href="https://neonpigcreative.com/" target="_blank" rel="n  
ofollow" data-acsb-tooltip="New Window" data-acsb-hover="true" data-acsb-  
scrape-url="https://neonpigcreative.com/"><span data-="true" " aria-hidde  
n="false" > New Window </sp...
```

```
<a href="https://medspabybeautybar.com/privacy-policy/" target="_blank" i  
d="cn-more-info" class="cn-more-info cn-button " aria-label="Privacy poli  
cy" style="undefined;background-color: #00a99d;background-color:#ffffff!i  
mportant" data-acsb-tooltip="Ne...
```

- 5 [An H1 title provides information to blind-users using screen-readers of what the main topic of the page is and each page](#)

Yes

Pass

-

100%

Successful Elements

```
<h1 class="elementor-heading-title elementor-size-xxl " style=";background-color:#ffffff!important;color:#000000!important;" role="heading" aria-level="1">Let Your Beauty Shine</h1>
```

6	HTML title elements (H1-6) should have texts. If images or links are used, they should include an alternative or screen-reader only text.	Yes	8	0	100%
---	---	-----	---	---	------

7	Elements that visually appear as titles but are coded with a non-heading HTML Tag should include a "role" attribute that equals to "heading" or have their tags fixed.	Yes	3	0	100%
---	--	-----	---	---	------

Successful Elements

```
<span class="elementor-heading-title elementor-size-small " style=";background-color:#ffffff!important;color:#000000!important;" role="heading" data-acsb-fake-title="true" aria-level="4">Policies</span>
```

```
<span class="elementor-heading-title elementor-size-small " style=";background-color:#ffffff!important;color:#000000!important;" role="heading" data-acsb-fake-title="true" aria-level="4">Community Partners</span>
```

```
<p style=";background-color:#ffffff!important;color:#000000!important;">We are proud to partner with these impactful community organizations:</p>
```

8	Title levels should not be skipped and should be built with consistent hierarchy. For example: you cannot have "h4" titles and "h2" titles without having "h3" titles.	No	0	0	-
---	--	----	---	---	---

9	Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "0".	Yes	3	0	100%
---	---	-----	---	---	------

Successful Elements

```
<div role="button" tabindex="0" aria-label="" class="elementor-element elementor-element-65213d7 None None default none none default default center-center default default elementor-widget elementor-widget-image" data-id="65213d7" data-element_type="w...
```

```
<div role="button" tabindex="0" aria-label="" class="elementor-element elementor-element-efcab6f voidMe megaMenu elementor-hidden-mobile elementor-view-default elementor-widget elementor-widget-icon" data-id="efcab6f" data-element_type="widget" data-...
```

```
<span id="cn-close-notice" data-cookie-set="accept" class="cn-close-icon" tabindex="0" style=";background-color:#ffffff!important;color:#000000!important;" role="button" ><span data-="true" " aria-hidden="false" > No Thank You Close </span></sp...
```

10	Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused.	Yes	Pass	-	100%
----	---	-----	------	---	------

11	Active popups should include an "aria-modal" attribute that equals to "true", and a "role" attribute that equals to "dialog", so screen-reader users know how to navigate within it.	No	0	0	-
----	--	----	---	---	---

12	Every page should include hidden links that by clicking on them (either using keyboard navigation or a screen-reader), the user will "skip" certain blocks directly to main landmarks such as main content, menu or footer.	Yes	Pass	-	100%
----	---	-----	------	---	------

13	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should be wrapped inside an element with an "aria-hidden" attribute that equals to "false", or include it directly, and have it dynamically changed to "true" when they become visible.	No	0	0	-
----	---	----	---	---	---

14	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should include a "tabindex" attribute that is below 0, and have it dynamically changed to 0 when they become visible.	No	0	0	-
15	Menus should either be built using the HTML5 "nav" element or include a "role" attribute that equals to "menu" or "navigation" to indicate a navigation landmark for screen-readers.	No	0	0	-
16	Menu items that have a dropdown menu include an "aria-haspopup" attribute that equals to "true".	No	0	0	-
17	Menu items that have a dropdown menu include an "aria-expanded" attribute that equals to "false" that changes to "true" and back when opening or closing the dropdown.	No	0	0	-
18	Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute.	No	0	0	-
19	Background images that are not just for decoration purposes and should have the same treatment as standard images and include a "role" attribute that equals to "img" and an alternative text description in an "aria-label" attribute.	No	0	0	-
20	Font icons, SVG or images that are being used as spacers, decorations or their purpose is already described by the content should include a "role" attribute that equals to "presentation" or "none".	Yes	8	0	100%

Successful Elements

```
<svg xmlns="http://www.w3.org/2000/svg" width="115" height="116" viewBox="0 0 115 116" aria-hidden="true" data-acsb-force-hidden="true" ><g id="Group_147" data-name="Group 147" transform="translate(-1412 -14)" ><g id="Ellipse_16" data-name="Ellipse ...
```

```
<span class="elementor-divider-separator" aria-hidden="true" data-acsb-force-hidden="true" > </span>
```

```
<span class=" elementor-button-icon" aria-hidden="true" data-acsb-force-hidden="true" > </span>
```

```
<svg version="1.1" id="Layer_1" xmlns="http://www.w3.org/2000/svg" xmlns:xlink="http://www.w3.org/1999/xlink" x="0px" y="0px" viewBox="0 0 730.7 64.1" enable-background="new 0 0 730.7 64.1" xml:space="preserve" aria-hidden="true" style=";background...
```

```
<svg aria-hidden="true" class="e-font-icon-svg e-fas-arrow-up" viewBox="0 0 448 512" xmlns="http://www.w3.org/2000/svg" data-acsb-force-hidden="true" ><path d="M34.9 289.5l-22.2-22.2c-9.4-9.4-9.4-24.6 0-33.9L207 39c9.4-9.4 24.6-9.4 33.9 0l194.3 194....
```

```
<svg style="display: none;" class="e-font-icon-svg-symbols" aria-hidden="true" data-acsb-original-style="display: none;" data-acsb-force-hidden="true" ></svg>
```

21	Figure elements that are used to display images should have a "role" attribute that equals to "none" and the image provide itself should provide the description using an "alt" attribute.	No	0	0	-
22	Every "area" element of a "map" tag should be regarded as a standard image and receive an alternative text description using an "alt" attribute.	No	0	0	-
23	Small or hidden tracker pixel images (often	No	0	0	-

to "none" or "presentation" so they are excluded from screen-readers.

24	Form fields should either include an "aria-label" attribute or a connected LABEL element describing the requirement of the field (email, phone, name, etc.).	Yes	4	0	100%
----	--	-----	---	---	------

Successful Elements

```
<input size="1" type="text" name="form_fields[name]" id="form-field-name" class="elementor-field elementor-size-sm elementor-field-textual" placeholder="Name" aria-hidden="false" data-acsb-validation-uuid="form-field-name" data-acsb-field-visible...
```

```
<input size="1" type="text" name="form_fields[field_ed3cd37]" id="form-field-field_ed3cd37" class="elementor-field elementor-size-sm elementor-field-textual" placeholder="Phone" aria-hidden="false" data-acsb-validation-uuid="form-field-field_ed3c...
```

```
<input size="1" type="email" name="form_fields[email]" id="form-field-email" class="elementor-field elementor-size-sm elementor-field-textual" placeholder="Email" required="true" aria-required="true" aria-hidden="false" data-acsb-validation-uuid=...
```

```
<textarea class="elementor-field-textual elementor-field elementor-size-sm" name="form_fields[message]" id="form-field-message" rows="4" placeholder="Message" aria-hidden="false" type="textarea" data-acsb-validation-uuid="form-field-message" data...
```

25	Form elements cannot have the same ID, or else their corresponding label will provide false information.	No	0	0	-
----	--	----	---	---	---

26	Required form fields should include an "aria-required" attribute that equals to "true" so blind users using screen-readers know their validation.	No	0	0	-
----	---	----	---	---	---

27	The validity status of every form element	No	0	0	-
----	---	----	---	---	---

the "true/false" values, and change dynamically when the status changes.

28	aria-describedby and aria-labeledby attributes should be connected by ID to an element that either has text description or an "aria-label" attribute.	No	0	0	-
29	All forms should have a submission button that is built as an input type "submit" or a "button" element, or include a "role" tag that equals to "button". Buttons can be hidden if the form can be submitted using the Enter key.	Yes	Pass	-	100%

Successful Elements

```
<form class="elementor-form" method="post" name="New Form" data-acsb-form-uuid="alxzydp38mg8" data-acsb-form-type="standard"> <input type="hidden" name="post_id" value="1964" aria-hidden="true" tabindex="-1" > <input type="hidden" name="form_...
```

30	Search forms should include a "role" tag that equals to "search" (or be wrapped by one) to indicate a search landmark for screen-readers.	No	0	0	-
31	The title tag of the HEAD section (also the title that appears in the browser tab and Search Engine result pages) should exist and describe the name of the current webpage for screen-reader users.	Yes	Pass	-	100%

Successful Elements

```
<title>MedSpa - MedSpa | Let Your Beauty Shine</title>
```

32	The HTML tag should include a "lang" attribute that represents the main language of the webpage so screen-readers can	Yes	Pass	-	100%
----	---	-----	------	---	------

Successful Elements

```
<html lang="en-US" style="--acsb-keynav:3px;" id="acsb-light-contrast" class="acsb-light-contrast"><head> <meta charset="UTF-8"> <meta name="viewport" content="width=device-width, initial-scale=1"> <link rel="profile" href="https://gmpg.org/xfn/1...
```

33	The meta viewport tag should allow vision impaired users to pinch-zoom at least double the standard scaling using the user-scalable="yes" and maximum-scale={2 or higher} content strings.	Yes	Pass	-	100%
----	--	-----	------	---	------

Successful Elements

```
<meta name="viewport" content="width=device-width, initial-scale=1">
```

34	Landmarks such as main content and footer should be built using their corresponding HTML5 element or include a description using an "aria-label" attribute and a "role" tag that equals to "contentinfo" or "main". Landmarks such as search and navigation are tested in other sections.	Yes	Pass	-	100%
----	---	-----	------	---	------

Successful Elements

```
<main id="content" class="site-main post-3575 page type-page status-publish hentry progress_status-ready-to-review" role="main" data-acsb-main="true"> <div class="page-content"> <div data-elementor-type="wp-page" data-elementor-id="3575" clas...
```

35	Font sizes should be at least 11px in size in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100%
----	---	-----	------	---	------

36	Letter spacing should not be set to below	Yes	Pass	-	100%
----	---	-----	------	---	------

verified also when using dynamic units such as REM or percents.

37 Elements that have texts should meet a minimum contrast ratio of 4.5:1 between their foreground (usually text color) and background color.

Yes

27

0

100%

Successful Elements

```
<h1 class="elementor-heading-title elementor-size-xxl " style=";background-color:#ffffff!important;color:#000000!important;" role="heading" aria-level="1">Let Your Beauty Shine</h1>
```

```
<h2 class="elementor-heading-title elementor-size-default " style=";background-color:#ffffff!important;color:#000000!important;" role="heading" aria-level="2">WELCOME TO MEDSPA BY BEAUTY BAR</h2>
```

```
<span style="font-weight: 400;" data-acsb-original-style="font-weight: 400;" >At MedSpa by Beauty Bar, we believe in the power of evolution – not just in the sense of change, but of growth and transformation. Our mission is to guide your journey, mer...
```

```
<span class="elementor-button-text " style=";background-color:#ffffff!important;color:#000000!important;">Learn More</span>
```

```
<h2 class="elementor-heading-title elementor-size-default " style=";background-color:#ffffff!important;color:#000000!important;" role="heading" aria-level="2">Our Services</h2>
```

```
<p style=";background-color:#ffffff!important;color:#000000!important;">Learn more about MedSpa by Beauty Bar's services below</p>
```

```
<a href="https://medspabybeautybar.com/service/aesthetics/" style=";background-color:#ffffff!important;color:#000000!important;">Aesthetics</a>
```

```
<a href="https://medspabybeautybar.com/service/spa-services/" style=";background-color:#ffffff!important;color:#000000!important;">Spa Services</a>
```

```
<a href="https://medspabybeautybar.com/service/wellness/" style=";background-color:#ffffff!important;color:#000000!important;">Wellness</a>
```

```
<h2 class="elementor-heading-title elementor-size-default " style=";background-color:#ffffff!important;color:#000000!important;" role="heading" aria-level="2">Contact Us</h2>
```

38	Carousels should include an "aria-label" attribute that equals to "carousel"/"slider" or something else that indicates the functionality, as well as be tagged as a landmark for screen-readers using a "role" tag that equals to "contentinfo".	No	0	0	-
----	--	----	---	---	---

39	Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers.	No	0	0	-
----	---	----	---	---	---

40	A common accessibility mistake is to treat carousels as live regions using the "aria-live" attribute and the "polite" or the "assertive" values. Using this practice will cause screen-readers to cut and skip announcements.	No	0	0	-
----	---	----	---	---	---

41	Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text.	No	0	0	-
----	---	----	---	---	---

42	Tables that are being used as layout structures should include a "role" attribute that equals to "presentation" to indicate to screen-readers that it is not really a table.	No	0	0	-
----	--	----	---	---	---

43	If nested tables are used (a table element	No	0	0	-
----	--	----	---	---	---

44	Tables that are missing a THEAD row with TH elements, should include a "role" attribute that equals to "rowheader" on the TD elements of the TR that represents the visual table headings.	No	0	0	-
45	Visually deleted texts (often used to show a previous price of a sale) should include an "aria-label" attribute or a screen-reader only text that explains this is deleted text.	No	0	0	-
46	Breadcrumbs main element should include a "role" attribute that equals to "navigation" and an "aria-label" attribute that describes the functionality."	No	0	0	-
47	Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate.	No	0	0	-
48	Making use of an accessibility interface helps to ensure that vision impaired users can adjust some of the UI and the design (font-size, colors, spacing, etc.) to their needs. It is not a compliance requirement, but can help to improve compliance.	Yes	Pass	-	100%
49	Iframe elements should include a "title" or an "aria-label" attribute explaining the purpose, the functionality or the destination of the iframe, or be tagged hidden for screen-readers if irrelevant.	Yes	Pass	-	100%

Successful Elements

```
<iframe class="elementor-video" frameborder="0" allowfullscreen="1" allow="accelerometer; autoplay; clipboard-write; encrypted-media; gyroscope; picture-in-picture; web-share" width="640" height="360" src="https://www.youtube.com/embed/XH0mBV4js_E?co...">
```